



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁶ : G06F 17/60	A1	(11) International Publication Number: WO 99/30256 (43) International Publication Date: 17 June 1999 (17.06.99)
(21) International Application Number: PCT/GB98/03702 (22) International Filing Date: 10 December 1998 (10.12.98) (30) Priority Data: 08/988,644 11 December 1997 (11.12.97) US (71) Applicant: INTERNATIONAL BUSINESS MACHINES CORPORATION [US/US]; New Orchard Road, Armonk, NY 10504 (US). (71) Applicant (for MC only): IBM UNITED KINGDOM LIMITED [GB/GB]; P.O. Box 41, North Harbour, Portsmouth, Hampshire PO6 3AU (GB). (72) Inventors: FORTENBERRY, Keith; 1230 S.W. 7th Street, Boca Raton, FL 33486 (US). TOOHEY, James; 3343 N.W. 28th Avenue, Boca Raton, FL 33434 (US). SZABO, Robert; 4729 Tortoise Shell Drive, Boca Raton, FL 33487 (US). ALLARD, David; 3900 Greenfield Court, Boynton Beach, FL 33436 (US). (74) Agent: LING, Christopher, John; IBM United Kingdom Limited, Intellectual Property Dept., Hursley Park, Winchester, Hampshire SO21 2JN (GB).		(81) Designated States: CN, CZ, HU, IL, JP, KR, PL, RU, European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE). Published <i>With international search report.</i> <i>Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.</i>
(54) Title: METHOD FOR ELECTRONIC DISTRIBUTION AND REDEMPTION OF COUPONS ON THE WORLD WIDE WEB		
(57) Abstract <p>A method and system for electronic distribution and redemption of coupons on a computer network. The method includes the steps of: providing an electronic coupon in the form of a machine readable computer file; permitting a user of a client machine (36) to receive the computer file via the computer network when the user accesses a selected coupon distribution web site (34); storing the computer file on the client machine; and authorizing a benefit when the computer file is received by a selected coupon redemption web site (38) via the computer network. The method can further include the steps of transmitting the computer file from the coupon redemption web site (38) to the centralized computer facility (28); and verifying the authenticity of the computer file prior to authorizing the benefit.</p> <div style="float: right; text-align: center;"> <pre> graph TD 10[10. Receive at centralized computer facility a coupon creation request from manufacturer] --> 12[12. Create at centralized computer facility a computer file defining e-coupon with benefits and limitations as requested by manufacturer] 12 --> 14[14. Transmit computer file to e-coupon distribution web site via computer network] 14 --> 16[16. Permit user of a client machine to receive the computer file via computer network when the user accesses the distribution web site] 16 --> 18[18. Store the e-coupon computer file on the client machine] 18 --> 20[20. Authorize a benefit when the e-coupon computer file is received by a selected coupon redemption web site via computer network] 20 --> 22[22. Transmit coupon remittance record from coupon redemption web site to centralized computer facility via computer network] 22 --> 24[24. Transmit reconciliation request from centralized computer facility to manufacturer] </pre> </div>		

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece	ML	Mali	TR	Turkey
BG	Bulgaria	HU	Hungary	MN	Mongolia	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MR	Mauritania	UA	Ukraine
BR	Brazil	IL	Israel	MW	Malawi	UG	Uganda
BY	Belarus	IS	Iceland	MX	Mexico	US	United States of America
CA	Canada	IT	Italy	NE	Niger	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NL	Netherlands	VN	Viet Nam
CG	Congo	KE	Kenya	NO	Norway	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NZ	New Zealand	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	PL	Poland		
CM	Cameroon	KR	Republic of Korea	PT	Portugal		
CN	China	KZ	Kazakstan	RO	Romania		
CU	Cuba	LC	Saint Lucia	RU	Russian Federation		
CZ	Czech Republic	LI	Liechtenstein	SD	Sudan		
DE	Germany	LK	Sri Lanka	SE	Sweden		
DK	Denmark	LR	Liberia	SG	Singapore		
EE	Estonia						

**METHOD FOR ELECTRONIC DISTRIBUTION AND
REDEMPTION OF COUPONS ON THE WORLD WIDE WEB**

Technical Field

5

This invention relates generally to Internet electronic commerce and more particularly to a method of disseminating and redeeming coupons on-line for use with Internet shopping and computer shopping services.

10 Description of the Related Art

Coupons are commonly used to encourage potential customers to purchase products. Often, when a new product is introduced, paper coupons are created and distributed through direct mailings, newspapers and
15 magazines in widespread campaigns attempting to reach those consumers potentially interested in purchasing that product. If a coupon is clipped and used by a consumer in a transaction, there is usually very little, if any data gathered to describe the buyer. This is a significant disadvantage since the process of gathering data reflecting the buying
20 habits of consumers is useful to the marketing community to assist in better organizing product retailing efforts.

Paper coupon creation is usually initiated by a product manufacturer. An intermediate organization may be responsible for coupon
25 printing and distribution to potential consumers of the targeted product. Typically, a consumer may clip a coupon from the newspaper and carry the coupon to a retail outlet. At the time of purchase, the coupon is presented to the cashier and the value of the coupon deducted from the product purchase price. After the purchase has been made, the retailer
30 can submit the coupon to an intermediate organization that handles the redemption relationship on behalf of the manufacturer. The retailer is compensated for the coupon value and the manufacturer debited for the coupon amount. Thus, a one to one relationship exists between items purchased and physical inventory. This correspondence provides a method
35 of verification or accountability indicating items were actually sold and coupons were not submitted by the retailer in a fraudulent manner.

With the growth of the World Wide Web, e-commerce and secure transactions, more consumers are purchasing items over the Internet.
40 Currently, there exist certain web sites such as www.hotcoupons.com which deliver coupons selected from the user's browser screen contents and output to their local printer. The coupon is presented at the time of purchase to the service provider honouring the coupon. This is nearly identical to the process involved with a coupon clipped from a periodical,
45 with one key difference being the distribution medium. Moreover, coupon

usefulness may be severely limited if coupons may only be offered and used in connection with a single transaction associated with the web site offering the products which are to be discounted. A more advantageous system would permit maximum flexibility with regard to when and where a coupon is presented to a user. Further, it would be advantageous to provide maximum flexibility and convenience to individuals redeeming such coupons by avoiding limitations on when and where within the World Wide Web such coupons may be redeemed.

Thus, there remains a need to provide a method and system for distribution and redemption of coupons on the World Wide Web that overcomes these and other deficiencies of the prior art.

DISCLOSURE OF THE INVENTION

A method and apparatus for electronic distribution and redemption of coupons on a computer network. According to the method, the invention comprises the steps of providing an electronic coupon in the form of a machine readable computer file; permitting a user of a client machine to receive the computer file via the computer network when the user accesses a selected coupon distribution web site; storing the computer file on the client machine; and authorizing a benefit when the computer file is received by a selected coupon redemption web site via the computer network. The computer file can contain one or more of the following: a coupon serial number, an expiration date, a graphic image, a benefit definition or a product information data set.

According to one aspect of the invention, a determination of the benefit to be accorded to a user is based upon a benefit definition which is included as part of the computer file. The benefit can consist of, for example, a discount relative to a purchase price, a credit applicable to the purchase price of a product, or a special offer.

The coupon distribution web site and the coupon redemption web site are advantageously separate one from the other. In this regard, the method further involves the steps of creating the computer file at a centralized computer facility, and transmitting the computer file to the distribution web site via the computer network. A record of the transaction is advantageously transmitted from the coupon redemption web site to the centralized computer facility. Using this record, and others like it, a database is maintained at the centralized computer facility. The database can be used for fraud prevention as it concerns coupon redemption or for statistical marketing analysis reasons. For example, the fraud prevention step can consist of reconciling the record of the

coupon redemption with an inventory reduction, linking each coupon redemption to a specific sale of the product to a customer.

According to another aspect, the method involves the further steps of requesting certain predefined information from the user as a condition for the user receiving the computer file; encoding the information as part of the computer file; and compiling the information as part of a computer record to be stored as part of the database when the coupon is redeemed.

In still a further aspect according to the method of the invention, the coupon redemption record comprises at least one or more of the following: an associated transaction number, a supplier/manufacturer name, a date on which the computer file was transferred to a user, a date the file was received at the coupon redemption web site, a merchant identification number, identification of the product purchased, the user name, and the user's e-mail address.

A system for implementing the foregoing method includes a programmable computer connectable to two or more web sites in a computer network in which users of client machines can access and receive computer data from the plurality of web sites. The system advantageously provides means for generating an electronic coupon responsive to a predetermined set of coupon criteria, the electronic coupon being comprised of a computer file. Further, means are provided for delivering the computer file to a predetermined coupon distribution web site on the computer network. The coupon distribution web site is configured to be responsive to at least one of the client machines to deliver the electronic coupon to the client machine for storage thereon. Finally, means are provided for receiving and storing a record from a coupon redemption web site to which the computer file has been transmitted by the client machine for receiving a benefit.

In a further aspect, the system may also include means for reconciling the record with a physical decrease in a seller's inventory. Such a reconciliation permits verification that a product sale has occurred for each instance in which one of the electronic coupons has been received at the coupon redemption web site.

BRIEF DESCRIPTION OF THE DRAWINGS

The invention will now be described, by way of example only, with reference to the accompanying drawings, in which:

Fig. 1 is a flow chart illustrating a method for electronic distribution and redemption of e-coupons on the World Wide Web;

Fig. 2 is a block diagram illustrating a system for electronic distribution and redemption of e-coupons on the World Wide Web;

Fig. 3 is an alternative embodiment of the system shown in Fig. 2; and

Fig. 4 is a flow chart illustrating an alternative embodiment of the method in Fig. 1.

DETAILED DESCRIPTION OF THE INVENTION

Figs. 1 and 2 illustrate a method and apparatus for electronic distribution and redemption of e-coupons on a computer network. In step 10, a manufacturer 26 who wishes to offer coupons for certain products, contacts a centralized computer facility/clearing house 28. The manufacturer provides the electronic clearing house 28 with information regarding the nature of the coupon program, including for example, a benefit definition, the products with regard to which the benefit will be offered, any time limits associated with the coupon offer, the number of coupons to be offered, and perhaps any specific data which the user must provide before the coupon will be issued or redeemed. In addition, the manufacturer preferably also provides the address of the e-coupon distribution web site 34 on the World Wide Web which is to distribute the coupons, the address of the e-coupon redemption web site 38, and possibly the address of any data mining organization 30 to receive data extracted from the coupon redemption program. As used herein, the term data mining organization refers to any facility which analyzes data associated with coupon acceptance and/or redemption by consumers for improved product marketing.

Utilizing the foregoing information, the proprietor of the centralized computer facility 28 in step 12 causes an e-coupon to be created in the form of a standardized computer file format. This file format may include, for example, a coupon serial number, an expiration date, a graphic image, a benefit definition and a product information data set. The benefit definition identifies the specific benefit to be accorded to a user when the computer file is redeemed as will hereinafter be described. The benefit can consist of, for example, a discount relative to a purchase price, a credit applicable to the purchase price of a product, or a special offer. The special offer may be any type of special benefit to a customer such as a premium offer, a multiple unit

discount offer, and so on. An example of the e-coupon format could be as follows:

5 Coupon Serial Number
 Expiration date
 Graphic Image
 Product Information
 Product Code
 Product Description
10 Benefit Definition

10 Once the e-coupon computer file has been created, the file is transmitted in step 14 to the e-coupon distribution web site 34, preferably via the Internet, an intranet, or other known network connection. It should be understood that the invention is not limited
15 with regard to the precise manner by which the e-coupon computer file is transmitted to the distribution web site 34, and any other suitable means may also be used for this purpose. For example, the coupons may be stored on a physical storage medium such as a CD ROM, magnetic disk or other similar means, and physically delivered to the distribution web site 34.
20 Further, it will be recognized by those skilled in the art that the e-coupon can be delivered in a form which includes the basic file, and a list of coupon serial numbers which are to be inserted as needed by the e-coupon distribution web site 34.

25 Web sites such as distribution web site 34 as referred to herein are preferably effected by means of a web server capable of being selectively accessed via a computer network by a client machine having a browser provided for such purpose. In the environment of the World Wide Web of the Internet, client machines effect transactions to web servers using the
30 Hypertext Transfer Protocol (HTTP), which is a known application protocol providing users access to files including text, graphics, images, sound, video, and the like. HTML provides basic document formatting and allows the developer to specify links to other servers and files. According to the standard methods of accessing multiple web sites on the Internet, a
35 network path or address is identified by a Uniform Resource Locator ("URL"). By using an HTML-compatible browser, a user of a client machine can specify a link to a particular desired web site identified with a URL. The client machine makes a request to the server identified by the URL and in return receives a specific document formatted according to HTML. In
40 one example, a client machine can be connected to the web site by means of the Internet, an intranet, or other known network connection.

45 Web sites such as e-coupon web site 34 can be implemented by a variety of means including, for example, an IBM RISC System/6000 computer utilizing the AIX (Advanced Interactive Executive Version 4.1 and above)

Operating System and a web server program, such as IBM Internet Connect Secure Server (Lotus Domino), that supports interface extensions. IBM, RISC System/6000 and AIX are trademarks of IBM Corporation and Lotus and Domino are trademarks of Lotus Development Corporation. The system preferably includes a graphical user interface for management and administration of the server. While the foregoing system will provide suitable results, it will be recognized by those skilled in the field of Internet servers that there exist a variety of other hardware/operating systems/web server application program combinations which may also be used.

Client machines, as that term is used herein, can be any of a variety of personal computers which are available from a number of well-known computer manufacturers. Such machines preferably comprise a central processing unit (CPU), including one or more memory devices and associated circuitry. The memory devices typically comprise an electronic random access memory and a bulk data storage medium, such as a magnetic disk drive. The system includes a pointing device operatively connected to said computer system through suitable interface circuitry, and at least one user interface display unit such as a video data terminal (VDT) operatively connected thereto. The CPU can be comprised of any suitable microprocessor or other electronic processing unit, as is well known to those skilled in the art. An example of such a CPU would include the Pentium brand microprocessor available from Intel Corporation or any similar unit such as an 80486 or 80386 type microprocessor (Pentium is a trademark of Intel Corporation).

The various hardware requirements for the computer system as described herein can generally be satisfied by any one of many commercially available high speed personal computers offered by manufacturers such as Compaq, Hewlett Packard, or IBM Corp. In a preferred embodiment as discussed herein, the operating system for the computer is one of the Windows family of operating systems, such as Windows 3.1, Windows NT, or Windows 95 (Windows is a trademark of Microsoft Corporation). However, the system is not limited in this regard, and the invention may also be used with any other type of computer operating system incorporating a graphical user interface.

E-coupon distribution web site 34 is preferably configured so that when it is accessed by a client machine 36, the user is made aware of the e-coupon offer. If the user wishes to receive the e-coupon, the user can respond to the offer electronically using client machine 36 and the e-coupon will be transmitted to the client machine as illustrated in step 16. Depending upon the interest of the manufacturer 26 which initiated the coupon offer, the user may be permitted to obtain the coupon by simply

electronically indicating a desire to receive same, or may be required to provide the e-coupon distribution web site with certain information as a condition precedent to receiving same. When such information is received, it is preferably encoded as part of the e-coupon computer file before the file is transmitted to the client machine 36. When the coupon file is received, it is preferably stored by the user on the client machine as set forth in step 18.

Subsequently, in step 20 the e-coupon may be redeemed at an e-coupon redemption web site 38. In a preferred embodiment, the e-coupon distribution site 38 is distinct from the e-coupon distribution web site 34 for reasons which will be hereinafter explained. In any case, however, the e-coupon redemption web site is preferably also an e-commerce site, meaning that a user can purchase goods or services at such site via the computer network. The purchase of such goods and services can be accomplished in a variety of ways including, for example, transmitting a credit card number and order information from the client machine 36 to the e-coupon redemption site 38 to have the product shipped to an address, or by ordering product for a later pickup and payment.

In step 22, a record of the transaction is advantageously transmitted, via the computer network previously described, from the coupon redemption web site 38 to the centralized computer facility 28. Using this record, and others like it, a database 32 is maintained at the centralized computer facility. The database 32 can be used for fraud prevention as it concerns coupon redemption or for statistical marketing analysis reasons. For example, the fraud prevention step can consist of reconciling the record of the coupon redemption with an inventory reduction to link each coupon redemption to a specific sale of the product to a customer. The coupon redemption record comprises at least one or more of the following: an associated transaction number, a supplier/manufacturer name, a date on which the computer file was transferred to a client machine, a date the file was received at the coupon redemption web site 38, a merchant identification number, identification of the product purchased, the user name, and the user's e-mail address. For example, the following format may be used:

Associated Transaction Number
Supplier/Manufacturer
Name Date transferred to shopper
Merchant
Date redeemed
Merchant number
Item purchased
Consumer

Consumer Name
Consumer's domain
Other merchant defined demographic data for mining use

5 When the e-coupon is received by the centralized computer
facility/clearing house 28, the coupon can be validated and a remittance
or credit applied to the account for the operator of the e-coupon
redemption web site 38. Subsequently, the redemption of the e-coupon can
10 be reconciled with the manufacturer 26, to verify a physical inventory
reduction. This is an important feature to minimize fraud. Further, the
account of the centralized computer facility/clearing house can be
credited for the value of the e-coupons.

15 The database records generated in step 22 for each transaction are
advantageously accessed during reconciliation to demonstrate a one to one
relationship between coupon usage and inventory reduction. Without such a
mechanism, coupons submitted for reconciliation would not be linked to
specific sales. Furthermore, the potential would exist for e-coupon
20 fraud. For example, several coupons are accumulated and never used in
legitimate transactions. Instead, the e-coupons are funnelled back to an
individual or organization affiliated with the e-coupon clearing house.
The e-coupons are redeemed for cash value with no related goods being
sold. In this case, the manufacturer initiating the e-coupon distribution
has not received the desired benefits for the investment made in the e-
25 coupon process.

 The centralized computer facility 28 or clearing house as described
herein, is positioned between manufacturers, related web sites and
retailers. The facility 28 therefore facilitates the distribution and
30 redemption of e-coupons. The centralized computer facility acts as a
common service between manufacturers, content providers and retailers.
Manufacturers initiate e-coupon creation. The centralized computer
facility 28, acting on behalf of manufacturers, generates e-coupons,
distributes to related web sites, receives cashed e-coupons from e-
35 commerce retailers and accumulates consumer statistics.

 In the system described with regard to Figs. 1 and 2, a manufacturer
wanting to introduce a new product or stimulate sales of an existing
product being sold over the World Wide Web would define attributes such as
40 the value of an e-coupon for a specific product and working with an e-
coupon clearing house 28, makes the coupon available for distribution to
selected web-based retailers. E-coupon distribution web sites 34 provide
a point of access and a delivery mechanism for e-coupons to potential
consumers. Content providers, involved with such sites, would engage the

e-coupon clearing house to acquire e-coupons. These e-coupons would then be made available to visitors of the web site.

Example 1

5

A user visits the Tennis Tournament web site. Marketing studies indicate a high correlation between visitors of sports related web sites and the purchase of athletic shoes. In this example, a manufacturer of athletic shoes creates a new tennis shoe and wants to stimulate sales. By
10 sanctioning the Tennis Tournament web site for e-coupon distribution, the athletic shoe manufacturer targets a market of consumers more likely to buy athletic shoes. A user visiting the site sees the athletic shoe manufacturer's e-coupon offer for \$5 off any athletic shoe purchased at the e-commerce web site of a particular athletic shoe retailer. The users
15 decide to download the e-coupon for a future discount. The athletic shoe retailer, has a web site that is honouring the e-coupon worth \$5 off the manufacturer's shoe. The user who previously visited the Tennis Tournament web site and downloaded the e-coupon, may submit or upload the coupon to the retailer's web site for a \$5 discount in the e-commerce
20 related transaction. Once the transaction is complete, the retailer can reconcile the transaction with the e-coupon clearing house. Subsequently, the e-coupon centralized computer facility performing the clearing house function will reconcile the transaction with the manufacturer.

25 One advantage of the present system is the ability to allow manufacturers to collect consumer information as described above. This consumer information may be stored in the central database 32. For example, a consumer initiates an e-commerce-based transaction with a retailer e-coupon web site 38. The consumer is identified, possibly by a
30 name and credit card number. Additional information may be requested of the consumer desiring to use an e-coupon, such as sex, age, marital status, etc. The data is collected and stored in the database 32 for future analysis by relevant parties such as the manufacturer 26 who initiated the e-coupon process or a data mining organization 30. With
35 this data, consumer behaviour is better evaluated and predicted, thus providing better marketing input on the manufacturer side, yielding improved service to the consumer.

Figs. 3 and 4 illustrate an alternative embodiment of the invention
40 in which the retailer 40, rather than the manufacturer, initiates the e-coupon process. In this case, the retailer 40 could work with the e-coupon centralized computer facility 28 for coupon creation. Distribution is still performed via the web in the same manner as previously described with respect to Figs. 1 and 2. However, in this embodiment, e-coupon
45 reconciliation is simplified as compared with the manufacturer initiated

e-coupon process. Since the retailer 40 initiated the e-coupon, redemption is more an internal accounting function, rather than an external interaction with a centralized facility 28 and manufacturer 26. Data mining statistics are gathered as in the manufacturer model shown in Figs. 1 and 2 - at the time of the e-commerce transaction.

The invention as described herein facilitates the growth of electronic commerce (e-commerce) by moving coupons from the physical world to the Internet. With Electronic coupons (e-coupons), additional incentives are provided for the growing number of Internet users visiting electronic malls, catalogues or other retail outlets on the World Wide Web. Improved marketing of goods on the Internet will result from the analysis of accumulated statistics describing the behaviour of Internet consumers utilizing e-coupons (data mining). An additional benefit to manufacturers is the reduction of mass marketing expense, since e-coupons, not paper coupons are used, no postage fees or paper coupon creation is required. This is beneficial to the environment, as well.

CLAIMS

1. A method for electronic distribution and redemption of coupons on a computer network, comprising the steps of:

5 providing an electronic coupon in the form of a machine readable computer file

permitting (16) a user of a client machine (36) to receive said computer file via said computer network when said user accesses a selected coupon distribution web site (34);

10 storing (18) said computer file on said client machine; and
authorizing a benefit when said computer file is received by a selected coupon redemption web site (38) via said computer network.

2. A method as claimed in claim 1 further comprising the steps
15 of:

creating (12) said computer file at a centralized computer facility (28); and

transmitting (14) said computer file to said distribution web site (34) via said computer network.

3. A method as claimed in claim 1 further comprising the step of:
verifying the authenticity of said computer file prior to
authorizing said benefit by using information encoded in said computer
file.

4. A method as claimed in claim 1 further comprising the steps
of:

maintaining a database (32) at said centralized computer facility (28);

30 requesting certain predefined user information from said user as a condition for said user receiving said computer file;

encoding said user information as part of said computer file;

transmitting (22) a record at least partly comprised of said information, from said coupon redemption web site (38) to said centralized
35 computer facility via said computer network; and

storing data comprising said record as part of said database (32).

5. A method as claimed in claim 4 wherein said record is
40 comprised of at least one of an associated transaction number, a supplier/manufacturer name, a date on which said computer file was transferred to a user, a date the file was received at said coupon redemption web site (38), a merchant identification number, identification of the product purchased, the user name, and the user's e-mail address.

6. A method as claimed in claim 4 further comprising the step of reconciling said record with an inventory reduction to link each record to a specific reduction in inventory for said product.

5 7. A method as claimed in claim 4 further comprising the step of providing said database (32) to a data mining organization (30) for analysis.

10 8. A method as claimed in claim 1 further comprising the step of determining said benefit based upon a benefit definition which is included as part of said computer file.

15 9. A method as claimed in claim 1 wherein said coupon distribution web site (34) and said coupon redemption web site (38) are separate one from the other.

20 10. A method as claimed in claim 1 wherein said benefit is selected from one of the group consisting of a discount relative to a purchase price, a credit applicable to the purchase price of a product, and a special offer.

25 11. A method as claimed in claim 1 wherein said computer file contains at least one of a coupon serial number, an expiration date, a graphic image, a benefit definition and a product information data set.

12. A programmable computer connectable to a plurality of web sites in a computer network in which users of client machines (36) can access and receive computer data from said plurality of web sites, comprising:

30 means for generating (12) an electronic coupon responsive to a predetermined set of coupon criteria, said electronic coupon comprised of a computer file;

35 means for delivering (14) said computer file to a predetermined coupon distribution web site (34) on said computer network, said coupon distribution web site responsive at least one of said client machines to deliver said electronic coupon to said client machine for storage thereon;

means for receiving and storing a record from a coupon redemption web site (38) to which said computer file has been transmitted by said client machine for receiving a benefit.

40 13. A programmable computer as claimed in claim 12 further comprising:

45 means for reconciling said record to verify that a product sale has occurred for each instance in which one of said electronic coupons has been received at said coupon redemption web site (38).


14. A programmable computer as claimed in claim 12 wherein said computer file contains at least one of a coupon serial number, an expiration date, a graphic image, a benefit definition and a product information data set.

5


15. A programmable computer as claimed in claim 12 wherein said record is comprised of at least one of an associated transaction number, a supplier/manufacturer name, a date on which said computer file was transferred to a user, a date the file was received at said coupon redemption web site, a merchant identification number, identification of the product purchased, the user name, and the user's e-mail address.

10


1 / 4

Fig. 1


2/4

Fig. 2

3/4

Fig. 3

4/4

Fig. 4

INTERNATIONAL SEARCH REPORT

International Application No

PCT/GB 98/03702

A. CLASSIFICATION OF SUBJECT MATTER

IPC 6 G06F17/60

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 6 G06F

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
E	US 5 855 007 A (JOVICIC ET AL) 29 December 1998 see the whole document ---	1-15
X	EP 0 809 202 A (SUN MICROSYSTEMS, INC.) 26 November 1997 see column 3, line 29 - column 5, line 12 ---	1-15
X	WO 97 23838 A (CATALINA MARKETING INTERNATIONAL, INC.) 3 July 1997 see page 16, line 5 - page 26, line 11 ---	1-15
P, X	EP 0 822 535 A (AT&T CORP.) 4 February 1998 see column 10, line 28 - column 11, line 13 see column 12, line 10 - column 13, line 33 --- -/--	1-15

☒ Further documents are listed in the continuation of box C.

☒ Patent family members are listed in annex.

* Special categories of cited documents:

"A" document defining the general state of the art which is not considered to be of particular relevance

"E" earlier document but published on or after the international filing date

"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

"O" document referring to an oral disclosure, use, exhibition or other means

"P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

"&" document member of the same patent family

Date of the actual completion of the international search

26 April 1999

Date of mailing of the international search report

10/05/1999

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,
Fax: (+31-70) 340-3016

Authorized officer

Abram, R

INTERNATIONAL SEARCH REPORT

International Application No

PCT/GB 98/03702

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	US 4 882 675 A (NIGHTBERGER ET AL) 21 November 1989 see column 3, line 59 - column 4, line 9 see column 10, line 50 - column 12, line 32 see column 17, line 30 - column 18, line 41 ---	1-15
P,A	DATABASE TDB IBM CORP NNRD41496, October 1998 "Electronic Coupon Smart Cards for Internet PCs and Interactive TVs" XP002101012 see abstract & RESEARCH DISCLOSURE, vol. 41, no. 414, October 1998, GB ---	1-15
A	US 5 420 606 A (BEGUM ET AL) 30 May 1995 see the whole document -----	1-15

INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/GB 98/03702

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
US 5855007	A	29-12-1998	NONE	
EP 809202	A	26-11-1997	JP 10055383 A	24-02-1998
WO 9723838	A	03-07-1997	AU 1344597 A	17-07-1997
			EP 0870264 A	14-10-1998
EP 822535	A	04-02-1998	CA 2210281 A	01-02-1998
US 4882675	A	21-11-1989	AU 5094485 A	18-06-1986
			CA 1276724 A	20-11-1990
			EP 0203958 A	10-12-1986
			WO 8603310 A	05-06-1986
			US RE34915 E	25-04-1995
US 5420606	A	30-05-1995	CA 2117716 A	21-03-1995
			DE 4433569 A	23-03-1995
			GB 2282253 A,B	29-03-1995
			HK 1000329 A	27-02-1998
			JP 2712139 B	10-02-1998
			JP 7182564 A	21-07-1995